

TABLA DE MATES

RATIOS DE MEZCLA:

PARA COLORES BLANCOS			OTROS COLORES			Activation RATIO (by volume)	GLOSS 60°	MATT : GLOSS Ratio
P650-6000 MATT Binder quantity (by weight)	P650-1000 or P650-1010 Gloss Binder quantity (by weight)	Toners quantity (by weight)	P650-6000 MATT Binder quantity (by weight)	P650-1000 or P650-1010 Gloss Binder quantity (by weight)	Toners quantity (by weight)			
60	-	40	70	-	30	4:1:2-2,8	<10	100/0
54	6	40	63	7	30	4:1:2-2,8	10-25	90/10
48	12	40	56	14	30	4:1:2-2,8	25-40	80/20
42	18	40	52	18	30	3:1:1,5-2	40-50	75/25
36	24	40	49	21	30	3:1:1,5-2	50-60	70/30
30	30	40	42	28	30	3:1:1,5-2	60-70	60/40
24	30	40	35	35	30	3:1:1,5-2	70-80	50/50
18	36	40	28	42	30	3:1:1,5-2	80-90	40/60
12	40	60	-	40 to 60	40 to 60	2:1:0,8-1,2	>90	0/100
6								
-								

CURVA DE MATES:




TABLA DE MATES

RATIOS DE MEZCLA:

PARA COLORES BLANCOS			PARA OTROS COLORES			Activation RATIO (by volume)	GLOSS 60°	MATT : GLOSS Ratio
P650-6000 MATT Binder quantity (by weight)	P650-5000 Gloss Binder quantity (by weight)	Toners quantity (by weight)	P650-6000 MATT Binder quantity (by weight)	P650-5000 Gloss Binder quantity (by weight)	Toners quantity (by weight)			
60	-	40	70	-	30	3:1:1.5-2	<10	100/0
54	6	40	63	7	30	3:1:1.5-2	10-15	90/10
48	12	40	56	14	30	3:1:1.5-2	15-20	80/20
42	18	40	52	21	30	3:1:1.5-2	20-25	70/30
36	24	40	49	28	30	3:1:1.5-2	30-40	60/40
30	30	40	42	35	30	2:1:0.5-1	50-55	50/50
24	36	40	35	42	30	2:1:0.5-1	60-70	40/60
18	42	40	28	49	30	2:1:0.5-1	75-85	30/70
12	48	40	21	56	30	2:1:0.5-1	85-90	20/80
6	54	40	14	63	30	2:1:0.5-1	~90	10/90
-	60	40	7	70	30	2:1:0.5-1	>90	0/100

CURVA DE MATES:

